

Selmag Enterprise Co Ltd

5Kv Transformer


Heat shrinking tube

Label


Fiber tubing

Label


Insulation Paper



Front
View




Side
View



Back
View

Selmag Enterprise Co Ltd


Bottom View



底視圖

Pri

Sec



Winding Info

Varnish / tubing

Test Condition / measurement

繞線規範		●含浸 ○點膠 ●套管	測試儀器：
Winding	Wire	Turns	Chen Hwa1062
N1 (1 ~ S1)	1.8x5mm	33 Ts	●以內圈為主 ○以感量為主
N2 (S1 ~ 2)	1.8x5mm	33 Ts	●以內圈為主 ○以感量為主
N3 (3 ~ 4)	0.7ø	600 Ts	●以內圈為主 ○以感量為主
N4 (4 ~ S2)	0.7ø	150 Ts	●以內圈為主 ○以感量為主
N5 (S2 ~ 5)	0.7ø	750 Ts	●以內圈為主 ○以感量為主
Core	Material	Spec.	AL (uH / N ²)

Material : As designed and arranged

● Based on inner windings


Contact : Eliza Hu

Mobile: 886-938-120-186

T:886-2-2918-9913 #11

www.selmag.com.tw

5Kv Transformer Test Data



**Test
Measurement**

Chroma 61504

**Date
13-Jan-17**

